

SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 24-Dec-2021

Revision Number 4

1. Identification

Product Name

Acrylamide (Certified)

Cat No. : O1065-500

CAS No **Synonyms**

79-06-1 2-Propenamide; Ethylenecarboxamide **Recommended Use** Laboratory chemicals.

Uses advised against

Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Category 3 Category 4 Category 4 Category 2 Category 2 Category 1 Category 1B Category 1B Category 2 Category 1

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity
Acute dermal toxicity
Acute Inhalation Toxicity - Dusts and Mists
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Skin Sensitization
Germ Cell Mutagenicity
Carcinogenicity
Reproductive Toxicity
Specific target organ toxicity - (repeated exposure)
Target Organs - Liver, Kidney, Blood.

Label Elements

Signal Word Danger

Hazard Statements

Toxic if swallowed Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of damaging fertility Causes damage to organs through prolonged or repeated exposure May cause genetic defects May cause cancer Harmful in contact with skin or if inhaled



Precautionary Statements

Prevention

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients				
Component	CAS No	Weight %		

Acrylamide		79-06-1	>95	
	4.	First-aid measures		
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Eye Contact	In the case o advice.	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.			
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.			
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.			
Most important symptoms and effects	May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, ches pain, muscle pain or flushing			
Notes to Physician	Treat symptomatically			

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	138 °C / 280.4 °F
Method -	No information available
Autoignition Temperature	424 °C / 795.2 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available

Specific Hazards Arising from the Chemical

Decomposes violently at elevated temperatures. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO₂). Ammonia. Hydrogen. **Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 3	Flammability 2	Instability 2	Physical hazards N/A
		6. Accidental rel	ease measures	

Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe
Environmental Precautions	areas. Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage

Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Storage.Keep in a dry place. Keep container tightly closed. Protect from direct sunlight. Store under
an inert atmosphere. Keep refrigerated. Keep container tightly closed in a dry and
well-ventilated place. Protect from moisture. Incompatible Materials. Acids. Bases. Strong
oxidizing agents. Metals. copper. Reducing Agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acrylamide	TWA: 0.03 mg/m ³	(Vacated) TWA: 0.03 mg/m ³	IDLH: 60 mg/m ³	STEL: 0.03 mg/m ³
	Skin	Skin	TWA: 0.03 mg/m ³	-
		TWA: 0.3 mg/m ³	-	

<u>Legend</u>

Handling

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

	9. Physical and chemical properties		
Physical State	Solid		
Appearance	White		
Odor	Odorless		
Odor Threshold	No information available		
рН	6.5-8.0 50% in water		
Melting Point/Range	82 - 86 °C / 179.6 - 186.8 °F		

Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity **Molecular Formula Molecular Weight**

125 °C / 257 °F @ 25 mmHg 138 °C / 280.4 °F Not applicable No information available

No data available No data available 5.3 hPa @ 100 °C Not applicable 1.122 @ 30°C Soluble in water No data available 424 °C / 795.2 °F 175 °C Not applicable C3 H5 N O 71.08

10. Stability and reactivity			
Reactive Hazard	Yes		
Stability	Stable under normal conditions. Hazardous polymerization may occur. Hygroscopic. heat sensitive. Air sensitive. Light sensitive. Decomposes on exposure to light.		
Conditions to Avoid	Temperatures above 84°C. Keep away from open flames, hot surfaces and sources of ignition. Exposure to air. Exposure to light. Incompatible products. Exposure to moist air or water.		
Incompatible Materials	Acids, Bases, Strong oxidizing agents, Metals, copper, Reducing Agent		
Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO ₂), Ammonia, Hydrogen			
Hazardous Polymerization	Hazardous polymerization may occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component Informat	ion					
Component		LD50 Oral		LD50 Dermal		nhalation
Acrylamide		124 mg/kg (Rat) 1141 mg/kg (Rabbit) Not listed			t listed	
Toxicologically Syne	rgistic	No information ava	ailable			
Products	-					
Delayed and immedia	ate effects as we	ell as chronic effe	cts from short an	d long-term expo	sure	
Irritation		Irritating to eyes and skin				
• ••• ••						
Sensitization		No information available				
••••••••••••••••••••••••••••••••••••••		The table halow in		ah ananay haa lia	ka di a mu in ana dia mtu	
Carcinogenicity		The table below in	uicales whether ea	ach agency has list	ted any ingredient a	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico

 Component
 CAS No
 IARC
 NTP
 ACGIH
 OSHA
 Mexico

 Acrylamide
 79-06-1
 Group 2A
 Reasonably Anticipated
 A2
 X
 A3

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP: (National Toxicity Program) ACGIH: (American Conference of Governmental Industrial Hygienists) Mexico - Occupational Exposure Limits - Carcinogens Mutagenic Effects Mutagenic		 Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists) Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen A3 - Confirmed Animal Carcinogen A3 - Confirmed Animal Carcinogen A5 - Not Suspected as a Human Carcinogen 	
Mulagenic Lifecia	Mulagenic		
Reproductive Effects	Experiments have shown reproductive toxicity effects on laboratory animals.		
Developmental Effects	No information available.		
Teratogenicity	No information available.		
STOT - single exposure STOT - repeated exposure	None known Liver Kidney Blood		
Aspiration hazard	No information available		
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing		
Endocrine Disruptor Information	No information available		
Other Adverse Effects	Neurotoxic effects have occurred in humans.		

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acrylamide	Not listed	124 mg/L LC50 96 h	Not listed	EC50: = 98 mg/L, 48h Flow
-		74-150 mg/L LC50 96 h		through (Daphnia magna)
		81-150 mg/L LC50 96 h		EC50: = 98 mg/L, 48h
		103-115 mg/L LC50 96 h		(Daphnia magna)
		137-191 mg/L LC50 96 h		
Persistence and Degrada	bility Persistence i	s unlikely		

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Acrylamide	-1.24

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acrylamide - 79-06-1	U007	-

11	Transport	information
14.	TIANSPOL	IIIOIIIation

DOT	
UN-No	UN2074
Proper Shipping Name	ACRYLAMIDE, SOLID
Hazard Class	6.1
Packing Group	III
TDG	
UN-No	UN2074
Proper Shipping Name	ACRYLAMIDE, SOLID
Hazard Class	6.1
Packing Group	III
ΙΑΤΑ	
UN-No	UN2074
Proper Shipping Name	ACRYLAMIDE, SOLID
Hazard Class	6.1
Packing Group	III
IMDG/IMO	
UN-No	UN2074
Proper Shipping Name	ACRYLAMIDE, SOLID
Hazard Class	6.1
Packing Group	
	15 Pogulatory

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Acrylamide	79-06-1	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acrylamide	79-06-1	Х	-	201-173-7	Х	Х	Х	Х	Х	KE-29374

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Acrylamide	79-06-1	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

	Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
_				

Acrylamide	Х	-
· · · · · · · · · · · · · · · · · · ·		

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acrylamide	5000 lb	5000 lb

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Acrylamide	79-06-1	Carcinogen Developmental Male Reproductive	0.2 µg/day	Developmental Carcinogen

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acrylamide	Х	Х	Х	Х	Х

U.S. Department of Transportation

U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
DOT Severe Marine Pollutant	Ν
DOT Marine Pollutant	Ν
Reportable Quantity (RQ):	Y

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acrylamide	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 60. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 201-173-7 - Carcinogenic, Article 57a;Mutagenic, Article 57b

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
-----------	--------	----------	---------------------------------	------------------------------	-----------------------------

					Substances (RoHS)
Acrylamide	79-06-1	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acrylamide	79-06-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 24-Nov-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS